

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L20	1	(((((writ\$3 record\$3) near2 driv\$3) or ((H half) near2 (switch bridge)) or H\$1bridge) and (interconnect\$3) and (match\$3 near2 impedance) and (scal\$3 near2 factor) and (current near2 mirror))).CLM.	US-PGPUB	OR	ON	2007/07/30 10:16
L21	0	(((((writ\$3 record\$3) near2 driv\$3) or ((H half) near2 (switch bridge)) or H\$1bridge) and (interconnect\$3) and (buffer\$3 near2 amplifi\$6) and (scal\$3 near2 factor) and (current near2 mirror))).CLM.	US-PGPUB	OR	ON	2007/07/30 10:16
L22	0	(((((writ\$3 record\$3) near2 driv\$3) or ((H half) near2 (switch bridge)) or H\$1bridge) and (interconnect\$3) and (match\$3 near2 impedance) and (scal\$3 near2 factor) and ((first second multiple) near2 (current near2 mirror))).CLM.	US-PGPUB	OR	ON	2007/07/30 10:16
L23	1	(((((writ\$3 record\$3) near2 driv\$3) or ((H half) near2 (switch bridge)) or H\$1bridge) and (interconnect\$3) and ((first second third fourth multiple plural\$3) near2 resist\$4) and (scal\$3 near2 (factor constant value))).CLM.	US-PGPUB	OR	ON	2007/07/30 10:16
L24	1	(((((writ\$3 record\$3) near2 driv\$3) or ((H half) near2 (switch bridge)) or H\$1bridge) and (interconnect\$3) and ((first second third fourth multiple plural\$3) near2 resist\$4) and (scal\$3 near2 (factor constant value))).CLM.	US-PGPUB	OR	ON	2007/07/30 10:17

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	27	((writ\$3 record\$3) near2 driv\$4) and (((H half) near2 (switch bridge)) or "H-switch" or H\$1bridge) and (match\$3 near2 impedance) and (current near2 mirror)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/07/30 09:32
L3	1	("6512645").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/07/30 09:30
L4	4	((writ\$3 record\$3) near2 driv\$4) and (((H half) near2 (switch bridge)) or "H-switch" or H\$1bridge) and (match\$3 near2 impedance) and (interconnect) and (resist\$4 near5 (scal\$3 near2 (factor constant value))))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/07/30 09:45
L5	5	((writ\$3 record\$3) near2 driv\$4) and (((H half) near2 (switch bridge)) or "H-switch" or H\$1bridge) and (interconnect\$3) and (resist\$4 near5 (scal\$3 near2 (factor constant value))))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/07/30 09:47
L13	5466	(360/46,65-68).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/07/30 10:06
L25	5	((writ\$3 record\$3) near2 driv\$3) or ((H half) near2 (switch bridge)) or H\$1bridge) and (interconnect\$3) and (buffer\$3 near2 amplifi\$6) and (scal\$3 near2 factor) and (current near2 mirror)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/07/30 10:17
L26	5	((writ\$3 record\$3) near2 driv\$3) or ((H half) near2 (switch bridge)) or H\$1bridge) and (interconnect\$3) and ((first second multiple plural\$3) near2 resist\$4) and (scal\$3 near2 factor) and (current near2 mirror)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/07/30 10:17
L27	359	((writ\$3 record\$3) near2 driv\$3) or ((H half) near2 (switch bridge)) or H\$1bridge) and (interconnect\$3) and resist\$4 and (scal\$3 near2 factor)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/07/30 10:18
L29	8	13 and 27	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/07/30 10:18

EAST Search History

L30	115567	((writ\$3 record\$3) near2 driv\$3) or ((H half) near2 (switch bridge)) or H\$1bridge)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/07/30 10:19
L31	1066	13 and 30	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/07/30 10:20
L32	29	31 and (scal\$3 near2 factor)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/07/30 10:53
L33	9	31 and (scal\$3 near2 factor) and interconnect\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/07/30 10:37
L36	60	((driver driving "h-bridge" (h ajd2 bridge)) near3 (writ\$3 record\$5)) and (resist\$4 impedance) same (interconnect\$3) and 360/60,61,66, 67,68.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/07/30 10:42
L37	3	((driver driving "h-bridge" (h ajd2 bridge)) near3 (writ\$3 record\$5)) and (resist\$4 impedance) same (interconnect\$3) and 324/210,212. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/07/30 10:42
L38	4	("6744578").URPN.	USPAT	OR	ON	2007/07/30 10:45
L39	1	31 and (resist\$4 near3 (scal\$3 near2 factor))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/07/30 10:55
S1	20	((("6512645") or ("6307695") or ("5914867") or ("6885225") or ("6204654") or ("6879455") or ("6831800") or ("5581455") or ("0561828") or ("6236246") or ("61666869") or ("6512646") or ("6917484") or ("20030090828") or ("20030189447") or ("20030081339") or ("20030234996") or ("20040196582") or ("20020186578") or ("20040032684"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/07/27 14:44

EAST Search History

S2	56049	((writ\$3 record\$3) near2 driver) or ((H half) near2 (switch bridge)) or H\$1bridge)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/07/30 10:20
S4	4	((writ\$3 record\$3) near2 driver) and (interconnect\$3 near3 odd near2 characteristic) and (match\$3 near2 impedance) and (current near2 mirror)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/07/30 07:45
S5	21	("20020186578" "20030081339" "20030090828" "20030189447" "20030234996" "20040032684" "20040196582" "5581455" "5612828" "5914867" "5952851" "6166869" "6204654" "6236246" "6307695" "6512645" "6512646" "6671113" "6831800" "6879455" "6885225").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/07/30 07:45
S6	6	S2 and (interconnect\$3 near4 (odd near2 characteristic))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/07/30 07:49
S7	346	S2 and (interconnect\$3 and (match\$3 near2 impedance))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/07/30 07:50
S8	8	S7 and (resist\$4 near4 (scal\$3 near2 factor))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/07/30 08:10
S9	34	S7 and (current near2 mirror)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/07/30 08:11
S10	1	("6532123").URPN.	USPAT	OR	ON	2007/07/30 08:15
S11	1	((writ\$3 record\$3) near2 driver) or ((H half) near2 (switch bridge)) or H\$1bridge) and ((head transducer) near4 interconnect\$3 near4 ((first second multiple) near2 resist\$4)) and (match\$3 near2 impedance)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/07/30 08:18
S12	4	("5612828" "5668676" "6215607" "6246269").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/07/30 08:17